

streamSAVE+

Calculation methods for energy poverty measures

Jiří Karásek
SEVEN, The Energy Efficiency Center



Agenda

- † Brief overview
- † Calculation platform
- † Energy poverty calculation
- † Q&A, Discussion

Goals and Objectives

- ✈ streamSAVE+ supports the selected Member States in improving their capacity to identify, adapt and implement new methodologies to calculate energy savings resulting from existing policies
- ✈ To enhance the implementation of **EED articles 4, 5 and 8**.



Improve Capacity for Energy Savings Calculation

Enhance the ability of EU Member States to calculate and report energy savings, particularly under the updated Energy Efficiency Directive (EED).



Develop the Knowledge Hub

Create a central repository of methodologies, tools, and best practices to streamline energy savings calculations.




Facilitate Peer-to-Peer Cooperation

Encourage cooperation among nine Member States and six additional countries, focusing on policy improvements and knowledge sharing.

Our results, target Areas and Coverage

Member States Participation

9 EU countries with outreach to 6 more



(Austria, Belgium, Bulgaria, Czech Republic, Greece, Croatia, Lithuania, Portugal, Slovenia)

(Spain, Finland, France, Ireland, Romania, Slovakia)

Energy savings focus in

Target Sectors

Transport

Heating in buildings

Industrial technologies

Deep renovations

Public Sector and Energy Communities

Special focus on emerging
energy communities,
public buildings, and
positive energy districts.

Four axes of the streamSAVE+



Development of a **Knowledge hub**

- + **Guidance and recommendations** for standardized energy savings methodologies and indicative values
- + Focus on **bottom-up calculation** methodologies
- + Outcome:
 - + **200 participants**
 - + **10 updated Priority Actions**
 - + **5 new Priority Actions developed**



Facilitation of **Dialogue meetings and peer exchange**

- + **Knowledge sharing** and member states **cooperation**
- + **Facilitated dialogues** with key stakeholders
- + Outcome:
 - + **200 participants**
 - + **web-meetings**
 - + **1 in-person meeting**



Capacity support tailored to national needs

- + **Country-specific support** for calculation methodologies and professional advice **for the public sector**
- + Direct support to partner Member States (**10 countries confirmed, 27 Capacity support actions**)



Policy and trend analysis to support achieving EED objectives

- + **Policy insights to improve MS's reporting, policy impacts and projections**
- + Impact assessments for policies
- + Outcome:
 - + **Policy evaluations and trends in 9 countries**
 - + **peer-to-peer support**

10 updated Priority Actions



Refrigeration systems



Building Automation & Control Systems



Electric Vehicles



Lighting systems



Heat recovery



Motor Replacement



Behavioural Changes



Modal Shift in Freight Transport



Small-scale renewable heating technologies



Energy Poverty

5 new Priority Actions developed



**Deep
renovation**



**Data centers
–
IT equipment**



**Data centers
–
Cooling**



**Heat recovery
and ventilation**



**Public Traffic
Management**

New Methodologies in the Scope of PA

✈ Overview of the identified methodologies related to the previous Priority Actions

| Heat Recovery | BEMS&BACS | Refrigeration | Electric Vehicles | Lighting | Small-Scale Renewable Central heating | Energy Poverty | Motor replacement | Behavioural changes | Modal Shift in Freight Transport |
|---------------|------------|---------------|------------------------------------|----------------------------|---------------------------------------|----------------|-------------------|------------------------|----------------------------------|
| 1 | 3 | 3 | 10 | 13 | 8 | 13 | 3 | 11 | 1 |
| FR | HR, LV, SK | HR, HU, SK | AU, HR, HU, IE, IT, LT, LV, PL, SK | HU, HR, IT, LT, LV, PL, SK | AU, HR, FR, LT, LV | LT, LV, PL, SK | HR, HU, LT | AU, BG, FR, LT, LV, PL | HU |

66

✈ Existing Practices for New Priority Actions

| Deep renovations in buildings | IT equipment in data centers | Cooling in data centres | Heat recovery in ventilation | Public traffic management |
|--|------------------------------|-------------------------|------------------------------|---------------------------|
| 22 | 1 | 4 | 8 | 4 |
| AU, CY, CZ, FR, HR, EL, HU, LV, LT, PL, SI, SK | CZ | CZ, FR, LU | AU, FR, HU, LV, LT, LU, SI | CY, LV, SK |

39

Platform overview

To work with streamSAVE+ platform
please use: <https://streamsaveplus.eu/>

Jiří Karásek
SEVEN, The Energy Efficiency Center



streamSAVE+ platform



Original approach:

MS Excel → sharing, website form



New approach:

website form → sharing



✦ Advantages:

- sharing just by sending unique link
- possibility to change all parameters online
- results could be stored and shared in computer readable format (JSON)
- reusable and sharable datasets of energy carriers


✦ Website + calculation platform in one place

✦ Website:

- Project information
- Results including Dialogue Meetings summaries
- Priority Actions and calculations
- Contact Information
- Graphic layout (PDF)

✦ Calculation Platform

- Registration/login page
- Original 10 StreamSAVE Priority Actions + 5 new StreamSAVE+ Priority Actions
- Newly developed on website including all advantages



The Project

Results

Priority Actions



Small-scale renewable heating: heat pumps

Heat pumps are systems that extract energy from the outside air, ground water or ground and use it to heat water for domestic hot water generation (DWH) and space heating. The energy extracted from the outdoor sources by means of highly efficient devices is considered as renewable energy according to the EU's Renewable Energy Directive 2009/28/EC.

The methodology can be applied only for heating and domestic hot water (DHW) preparation by electrically operated heat pumps. Indicative values are prepared for residential and non-residential buildings. Savings resulting from the use of reversible heat pumps also used for cooling cannot be calculated using this methodology.

To account for different climate conditions, the geographical area of Europe in which the actions is implemented needs to be considered. For this, a climate correction factor (cfx) is applied.

Calculation formulas

(click the image to enlarge)

Article 3, Article 7 | Total final energy savings (TFES)

$$TFES = A \cdot (SHD + BWD) \cdot \left(\frac{1}{\eta_{heatpump}} - \frac{1}{\eta_{action}} \right) \cdot f_{DHW} \cdot cfx$$

Article 3 | Effect on primary energy consumption (EPEC)

$$EPEC = FEC_{baseline} \sum (share_{ec, baseline} \cdot f_{PE, ec}) - FEC_{action} \sum (share_{ec, action} \cdot f_{PE, ec})$$

GHG | Greenhouse gas savings (GHGsav)

$$GHGSav = \left[FEC_{baseline} \sum (share_{ec, baseline} \cdot f_{GHG, ec}) - FEC_{action} \sum (share_{ec, action} \cdot f_{GHG, ec}) \right] \cdot 10^{-6}$$



Calculation in Excel



Additional information

Dialogue meetings and workshops

The streamSAVE+ is highly participatory (10/18)

- aims to **foster collaboration, capacity building**, and dissemination activities
 - among **public authorities, technical experts** and **market stakeholders**
- ✦ Assessing energy savings from **deep retrofit programmes**
 - ✦ Assessing energy savings from **water conservation measures**
 - ✦ Energy savings in **companies**: technology-focused vs. system approach
 - ✦ Local energy savings in **national monitoring**
 - ✦ **Data centres & savings data**: from potential to action
 - ✦ Energy savings from **heat recovery in ventilation systems**
 - ✦ Energy savings from **public traffic management**
 - ✦ Energy savings from **deep renovations in buildings**
 - ✦ Energy performance and **savings in data centres**
 - ✦ Data for energy savings calculations: **insights from key databases at EU and national level**

Survey

Countries challenges and needs



19 countries expressed preferences via https://myconvento.com/public/event_register/do_register/6858937

streamSAVE+ platform



Installation Parameters

| | | |
|------------|---|--|
| Sector | Select sector... <input type="button" value="v"/> | Select sector: Residential or Non-residential |
| Region | Select region... <input type="button" value="v"/> | Select climate region: North, West or South. North: Czech Republic, Denmark, Estonia, Finland, Latvia, Lithuania, Poland, Slovakia, Sweden; West: Austria, Belgium, France, Germany, Ireland, Luxemburg, Netherlands; South: Bulgaria, Croatia, Cyprus, Greece, Hungary, Italy, Malta, Portugal, Romania, Slovenia, Spain. |
| Technology | Select heat pump technolog <input type="button" value="v"/> | Select technology: Air Source Heat Pump, Ground Source Heat Pump, Groundwater Heat Pump |

Energy Carriers

| | | |
|--------------------|---|--|
| Conversion factors | Select a dataset <input type="button" value="v"/> | Select the energy carrier dataset to use for calculations. |
|--------------------|---|--|

National and Indicative Data

| | National | Indicative | | |
|-------------------------|----------|------------|----------------------|---|
| A | | | m ² | Gross floor area of the buildings or dwellings equipped with heat pumps |
| SHD | | - | kWh/m ² a | Area specific space heating demand of the building or dwelling |
| HWD | | - | kWh/m ² a | Area specific hot water demand of the building or dwelling |
| eff _{Baseline} | | - | - | Efficiency of a reference heating system |
| COP | | - | - | Efficiency of the heat pump |
| cf _x | | - | - | Factor to consider effect of climate zones |
| f _{BEH} | | - | - | Factor to account for behavioral effects |

CALCULATE

Moura at al. Translated Existing Bottom-up Methodologies in EU-27, <https://streamsavenplus.eu/article/7-reports>

Calculation Results

| Calculation Results | National | Indicative |
|---------------------|--------------------|------------------------|
| TFES Article 8 | - kWh/a | 12 400.718 kWh/a |
| TFES Article 4 | - kWh/a | 12 400.718 kWh/a |
| EPEC Article 4 | - kWh/a | 15 035.797 kWh/a |
| GHG _{eq} | - tCO ₂ | 2.159 tCO ₂ |

Costs related to original StreamSAVE project

| [euro2020] | Investment costs | |
|--------------------------|--------------------|-----------------|
| | SFH existing stock | SFH newly built |
| District heat | 14.731 | 14.731 |
| Gas condensing boiler | 9.223 | 8.607 |
| Oil condensing boiler | 14.615 | 12.993 |
| Firewood boiler | 15.286 | no data |
| Wood pellet boiler | 16.655 | 15.899 |
| Heat pump - air | 15.785 | 12.372 |
| Heat pump - ground probe | 25.426 | 20.002 |

| [euro2020/a] | Variable operational costsPA | |
|-----------------------------|---|--|
| Costs of reduced fuel input | Sources can be found in chapter 1.2.1 of the "Standardized saving methodologies" report | |

Energy poverty calculations

Jiří Karásek
SEVEn, The Energy Efficiency Center

Dublin, CA EED

20/3/2026



Co-funded by the
European Union

Priority Actions: Energy Poverty

Calculations:

Feedback and tailored advice (behavioural changes)

- ✦ The methodology specifically addresses behaviour measures that are based on “feedback” (direct feedback) and “feedback including tailored advice” (indirect feedback).

Small scale renewable heating system

- ✦ The scope of this methodology is to estimate the annual energy and emission savings that can be achieved with the installation of small-scale renewable energy systems in dwellings occupied by energy poor households.

Thermally refurbished buildings (thermal refurbishment)

- ✦ This methodology allows evaluating the annual energy savings of measures related to the thermal refurbishment of existing residential buildings.

[streamSAVE+ - | Energy Poverty: Behavioural Changes](#)

Energy Poverty: Behavioural Changes

Measure Configuration

| | | |
|---------------------------------|---------------------------|---|
| Sector | Residential - EPOV | Select residents group: "Residential in Energy poor situation" or "Average residential" |
| Heating type efficient building | Select heating type... | Choose between different types of Heat pumps and Biomass boilers to improve efficiency |
| Type of replacement | Regular Replacement / New | Different baselines have to be applied depending on the time of the replacement. For more information, see the respective chapter in the Practical Guidance Report. |

https://streamsave.eu/wp-content/uploads/2022/09/D2-2_PracticalGuidance_final_June23.pdf

Energy Carriers

| | | |
|--------------------|-----------------------------------|--|
| Conversion factors | Default StreamSAVE+ 2023 (Public) | Select the energy carrier dataset to use for calculations. |
|--------------------|-----------------------------------|--|

| Energy Carrier | Before (%) | After (%) |
|--------------------------|---------------|---------------|
| Natural gas | 100 | 100 |
| Select energy carrier... | - | - |
| Total: | 100.0% | 100.0% |

<https://streamsaveplus.eu/ep-behavioural-changes>

National and Indicative Data

| | National | Indicative | |
|------------|----------|------------|-------|
| n | 4 | 4 | - |
| UFEC | 12 500 | 11 458.61 | kWh/a |
| f_{EPOV} | 0.65 | 0.65 | - |
| S | 3.4 | 3.4 | % |
| dc | 100 | 100 | % |

Number of households or units participating in the behavioral measure

Unit Final Energy Consumption per household/unit

Factor to account for energy poverty effects (0 = no energy poverty, higher values = more energy poverty)

Expected energy savings percentage from the behavioral measure

Double-counting factor

Calculation Results

| Calculation Results | National Results | Indicative Results |
|---------------------|------------------------|------------------------|
| TFES Article 8 | 1 105 kWh/a | 1 012.941 kWh/a |
| TFES Article 4 | 1 105 kWh/a | 1 012.941 kWh/a |
| EPEC Article 4 | 1 112.735 kWh/a | 1 020.032 kWh/a |
| GHG _{eq} | 0.223 tCO ₂ | 0.205 tCO ₂ |

Energy poverty: Small scale renewable heating system

Installation Parameters

| | | |
|---------------------------------|---------------------------|---|
| Sector | Residential - EPOV | ▼ |
| Heating type efficient building | Select heating type... | ▼ |
| Type of replacement | Regular Replacement / New | ▼ |

Select residents group: "Residential in Energy poor situation" or "Average residential"

Choose between different types of Heat pumps and Biomass boilers to improve efficiency

Different baselines have to be applied depending on the time of the replacement. For more information, see the respective chapter in the Practical Guidance Report.

Energy Carriers

| | | |
|--------------------|-----------------------------------|---|
| Conversion factors | Default StreamSAVE+ 2023 (Public) | ▼ |
|--------------------|-----------------------------------|---|

Select the energy carrier dataset to use for calculations.

| Energy Carrier | Before (%) | After (%) |
|--------------------------|---------------|---------------|
| Natural gas | 100 | 100 |
| Select energy carrier... | - | - |
| Total: | 100.0% | 100.0% |

×

<https://streamsaveplus.eu/res>

Calculation Parameters

| | National | Indicative | |
|----------------------------|----------|------------|----------------------|
| A | | | m ² |
| SHD | | - | kWh/m ² a |
| HWD | | - | kWh/m ² a |
| eff _{Baseline} | | - | - |
| eff _{Action} | | - | - |
| f _{prebound EPOV} | | - | - |
| f _{BEH} | | - | - |

Useful floor area of the dwelling

Area specific space heating demand of the dwelling

Area specific hot water demand of the dwelling

Area specific hot water demand of the dwelling

Conversion efficiency of the RES installation - heat pump or biomass boiler

Factor for adjusting the baseline consumption of average household to energy poor household

Factor to calculate for rebound effects of the action

Energy Poverty: Thermal Refurbishment

Sector Selection

| | | |
|--------|--------------------|---|
| Sector | Residential - EPOV | ▼ |
|--------|--------------------|---|

Select residents group between: "Residential in Energy poor situation" or "Average residential"

Calculation Parameters

| | National | Indicative | | |
|-------------------------|----------|------------|----------------------|--|
| A | 120 | 120 | m ² | Area of dwelling/unit or number of units for which the action is implemented |
| SHD _{baseline} | 100 | 92.1 | kWh/m ² a | Baseline space heating demand per unit area or per unit |
| SHD _{action} | 50 | 50 | kWh/m ² a | Post-action space heating demand per unit area or per unit |
| HWD | 19.2 | 19.2 | kWh/m ² a | Hot water demand per unit area or per unit |
| eff | 0.63 | 0.63 | - | Efficiency of the heating system (fraction between 0 and 1) |
| f _{EPOV} | 0.35 | 0.35 | - | Factor to consider energy poverty effects (fraction between 0 and 1) |
| f _{BEH} | 0.25 | 0.25 | - | Factor to consider behavioral effects (fraction between 0 and 1) |

Energy Carriers

| | | |
|--------------------|-----------------------------------|---|
| Conversion factors | Default StreamSAVE+ 2023 (Public) | ▼ |
|--------------------|-----------------------------------|---|

Select the energy carrier dataset to use for calculations.

| Energy Carrier | Before (%) | After (%) |
|--------------------------|---------------|---------------|
| Natural gas | 100 | 100 |
| Select energy carrier... | - | - |
| Total: | 100.0% | 100.0% |

<https://streamsavenplus.eu/thermal-refurbishment>

Calculation Results

| Calculation Results | National Results | Indicative Results |
|---------------------|------------------------|------------------------|
| TFES Article 8 | 2 142.857 kWh/a | 1 409.286 kWh/a |
| TFES Article 4 | 2 142.857 kWh/a | 1 409.286 kWh/a |
| EPEC Article 4 | 2 157.857 kWh/a | 1 419.151 kWh/a |
| GHG _{eq} | 0.433 tCO ₂ | 0.285 tCO ₂ |

Energy Poverty: Behavioural Changes

Total final energy savings (TFES)

$$TFES = N \cdot UFEC \cdot S \cdot dc$$

TFES

Total final energy savings [kWh/a]

N

Number of participants [dmnl]

UFEC

Unitary Final Energy Consumption per household (electricity or gas) [kWh/a]

S

Energy saving factor [%]

dc

Double-counting factor [%]

Energy Poverty: Behavioural Changes

Effect on primary energy consumption (EPEC)

$$EPEC = FEC_{baseline} \cdot \sum_{ec} (share_{ec.baseline} \cdot f_{PE.ec}) - FEC_{action} \cdot \sum_{ec} (share_{ec.action} \cdot f_{PE.ec})$$

EPEC

Effect on primary energy consumption [kWh/a]

FEC

Annual final energy consumption [kWh/a]

share_{ec.}

Share of final energy carrier on final energy consumption [dmnl]

f_{PE.ec}

Final to primary energy conversion factor of the used energy carrier [dmnl]

Baseline

Index for the baseline situation of the action

Action

Index for the situation after the implementation of the action

ec

Index of energy carrier

Energy Poverty: Behavioural Changes

GHG | Greenhouse gas savings (GHGSAV)

$$GHGSAV = \left[FEC_{baseline} \cdot \sum_{ec} (share_{ec.baseline} \cdot f_{GHG.ec}) - FEC_{action} \cdot \sum_{ec} (share_{ec.action} \cdot f_{GHG.ec}) \right] \cdot 10^{-6}$$

GHGSAV

Greenhouse gas savings [t CO₂/a]

FEC

Annual final energy consumption [kWh/a]

share_{ec.}

Share of final energy carrier on final energy consumption [dmnl]

f_{GHG.ec}

Emission factor of final energy carrier [g CO₂/kWh]

Baseline

Index for the baseline situation of the action

Action

Index for the situation after the implementation of the action

ec

Index of energy carrier

Energy poverty: Small scale renewable heating system

Total final energy savings (TFES)

$$TFES = A \cdot (SHD \cdot (1 - f_{prebound\ EPOV}) + HWD) \cdot \left(\frac{1}{eff_{baseline}} - \frac{1}{eff_{action}} \right) \cdot (1 - f_{BEH})$$

TFES

Total Final Energy Savings [kWh/a]

A

Useful floor area of the dwelling [m²]

SHD

Specific space heating demand of the dwelling [kWh/m²/a]

HWD

Specific domestic hot water demand of the dwelling [kWh/m²/a]

eff_{baseline}

Conversion efficiency of the reference heating system [dmnl]

eff_{action}

Conversion efficiency of heating system after the action [dmnl]

f_{prebound EPOV}

Factor for adjusting baseline consumption of average household to energy poor household [dmnl]

f_{BEH}

Factor to adjust for rebound effects of the action [dmnl]

Energy Poverty: Thermal Refurbishment

Article 3, Article 7 | Total final energy savings (TFES)

$$TFES = A \cdot \left(\frac{SHD_{baseline} \cdot (1 - f_{prebound\ EPOV}) + HWD}{eff} - \frac{SHD_{action} + HWD}{eff} \right) \cdot (1 - f_{BEH})$$

TFES

Total Final Energy Savings [kWh/a]

A

Useful floor area of the dwelling [m²]

SHD_{baseline}

Specific space heating demand of the reference building [kWh/m²/a]

SHD_{action}

Specific space heating demand of the efficient building [kWh/m²/a]

HWD

Specific domestic hot water demand [kWh/m²/a]

eff

Conversion efficiency of the heating system [dmnl]

f_{prebound EPOV}

Factor for adjusting baseline consumption of average household to energy poor household [dmnl]

f_{BEH}

Factor to adjust for rebound effects of the action [dmnl]


Summary

- streamSAVE+ assistance to the Member States
- 15 Bottom up calculation methodologies
- Use of streamSAVE+ platform
- Capacity Support Facility

Project partners



■ Project partners
■ Supporting countries



Thank You

Get in touch for more information!



Project coordinator – Jiří Karásek, SEVEn



All project reports and the platform are available on the streamSAVE+ website
Streamsaveplus.eu



Email the project at jiri.karasek@svn.cz



Subscribe to our **Newsletter**

SCAN ME